

DOLPHIN LIGHTING Pty. Ltd.
YOUR LED LIGHTING SPECIALIST'S

www.dolphinlighting.com

Email: phil@dolphinlighting.com Fax: 08 6314 1545

Ph: 0433 772 539

Part No	Description	*AOV = other options available	Power Supply				Inc. Pwr Supply	Solar Pwr	Batt Opp.
			12v AC	12v DC	24v DC	240v AC			
	LED MR16 Down-Lights								
MR16-140WA25	MR16 - 1W warm white 25° lens 12vAC/DC		X	X					
MR16-140CA25	MR16 - 1W cool white 25° lens 12vAC/DC		X	X					
MR16-340WA25	MR16 - 3W warm white 25° lens 12vAC/DC		X	X					
MR16-340CA25	MR16 - 3W cool white 25° lens 12vAC/DC		X	X					
MR16-340RA30	3W RED LED down-light (MR16) 12vAC/DC - 30° angle		X	X					
MR16-340GA30	3W GREEN LED down-light (MR16) 12vAC/DC - 30° angle		X	X					
MR16-340BA30	3W BLUE LED down-light (MR16) 12vAC/DC - 30° angle		X	X					
MR16-558CA30	5W cool white LED down-light (MR16) 12vAC/DC - 30° angle		X	X					
MR16-558WA30	5W warm white LED down-light (MR16) 12vAC/DC - 30° angle		X	X					
MR16-558CB30	5W cool white LED down-light (MR16) AC 110V~240V - 30° angle				X	X			
MR16-558WB30	5W warm white LED down-light (MR16) AC 110V~240V - 30° angle				X	X			
MR16-558CD30	5W self dimming cool white LED down-light (MR16) AC 110V~240V - 30° angle				X	X			
MR16-558WD30	5W self dimming warm white LED down-light (MR16) AC 110V~240V - 30° angle (self dimming) dims by turning unit on and off				X	X			
	LED IP 68 POND/GARDEN SPIKE LIGHT								
MR16-565CA-30	IP 68 POND/GARDEN SPIKE 5W cool white LED 12vAC/DC - 30° angle		X	X					
MR16-565WA-30	IP 68 POND/GARDEN SPIKE 5W warm white LED 12vAC/DC - 30° angle		X	X					
MR16-565CB-30	IP 68 POND/GARDEN SPIKE 5W cool white LED AC 110V~240V - 30° angle				X	X			
MR16-565WB-30	IP 68 POND/GARDEN SPIKE 5W warm white LED AC 110V~240V - 30° angle				X	X			
	LED Bud Lights								
CHL-4420WO	IP 65 Rated LED Bud Light warm white 140° lens 12vDC			X					
CHL-4420CO	IP 65 Rated LED Bud Light cool white 140° lens 12vDC			X					
CHL-4420RO	IP 65 Rated LED Bud Light red 140° lens 12vDC			X					
CHL-4420GO	IP 65 Rated LED Bud Light green 140° lens 12vDC			X					
CHL-4420BO	IP 65 Rated LED Bud Light blue 140° lens 12vDC			X					
	LED ES & BC Fittings								
PAR20E-3COB	3W cool white(240V) EDISON SCREW LED Bulb 25° lens				X				
PAR20E-3WOB	3W warm white(240V) EDISON SCREW LED Bulb 25° lens				X				
PAR20E-3CJB	3W cool white(240V) EDISON SCREW LED Bulb 140° lens				X				
PAR20E-3WJB	3W warm white(240V) EDISON SCREW LED Bulb 140° lens				X				
PAR20B-3COB	3W cool white (240V) Bayonet LED Bulb 25° lens				X				
PAR20B-3WOB	3W warm white (240V) Bayonet LED Bulb 25° lens				X				
PAR20B-3CJB	3W cool white (240V) Bayonet LED Bulb 140° lens				X				
PAR20B-3WJB	3W warm white (240V) Bayonet LED Bulb 140° lens				X				
TBA	15W cool white(240V) EDISON SCREW LED Bulb 30° lens PAR 38				X				
TBA	15W warm white(240V) EDISON SCREW LED Bulb 30° lens PAR 38				X				
TBA	15W cool white (240V) Bayonet LED Bulb 30° lens PAR 38				X				
TBA	15W warm white (240V) Bayonet LED Bulb 30° lens PAR 38				X				

	LCD LIGHTS								
Coming soon	BC Spiral LCD Light Bulb CW (13W) Dimmable							X	
Coming soon	ES Spiral LCD Light Bulb CW (13W) Dimmable							X	
Coming soon	BC Spiral LCD Light Bulb WW (13W) Dimmable							X	
Coming soon	ES Spiral LCD Light Bulb WW (13W) Dimmable							X	
Coming soon	T-Bar/Surface mount (60 x 60cm) CW							X	
Coming soon	T-Bar/Surface mount (60 x 60cm) WW							X	
	LED FLOOD LIGHTS								
FL-015CL2W	15W cool white LED wall wash light 12vAC/DC - 30° angle	X	X	X				X	
FL-015WL2W	15W warm white LED wall wash light 12vAC/DC - 30° angle	X	X	X				X	
FL-015CK2W	15W cool white LED wall wash light 12vAC/DC - 90°/60° angles	X	X	X				X	
FL-015WK2W	15W warm white LED wall wash light 12vAC/DC - 90°/60° angles	X	X	X				X	
FL-015RL2W	15W RED LED wall wash light 12vAC/DC - 30° angle	X	X	X				X	
FL-015GL2W	15W GREEN LED wall wash light 12vAC/DC - 30° angle	X	X	X				X	
FL-015BL2W	15W BLUE LED wall wash light 12vAC/DC - 30° angle	X	X	X				X	
FL-015RK2W	15W RED LED wall wash light 12vAC/DC - 90°/60° angles	X	X	X				X	
FL-015GK2W	15W GREEN LED wall wash light 12vAC/DC - 90°/60° angles	X	X	X				X	
FL-015BK2W	15W BLUE LED wall wash light 12vAC/DC - 90°/60° angles	X	X	X				X	
WW-1212S	15W RGB LED wall wash light 12° angle			X				X	
WW-1230S	15W RGB LED wall wash light 30° angle			X				X	
TBA	INGROUND FLUSH BOX FOR 15W LIGHTS			X				X	
FL-030CK2W	30W cool white LED flood Light 12vDC			X				X	
FL-030WK2W	30W warm white LED flood Light 12vDC			X				X	
FL-050CA2W	50W cool white LED flood Light 12vDC			X				X	
FL-050WA2W	50W warm white LED flood Light 12vDC			X				X	
FL-100CK2W	100W cool white LED flood Light 24vDC					X		X	
FL-100WK2W	100W warm white LED flood Light 24vDC					X		X	
	LED Shop Lights								
FL-015CK2C(P)	15W Cool white Shop lighter 110-240V AC - 90°/60° angles	X	X					X	
FL-015WK2C(P)	15W WARM white Shop lighter 110-240V AC - 90°/60° angles	X	X					X	
	LED Pelmet Ceiling Light's								
CLA-055CA	Cool White Pelmet Ceiling Light Per Metre (5 led's @200mm pitch)					X		X Per 6L	
CLA-055WA	Warm White Pelmet Ceiling Light Per Metre (5 led's @200mm pitch)					X		X Per 6L	
TBA	RGB Pelmet Ceiling Light Per Metre (5 led's @200mm pitch)					X		X Per 6L	
	LED STRIP LIGHTING								
AT8056ENCW	Cool White aluminium strip w/front cover 500mm ea length						X	X	
AT8056ENWW	Warm White aluminium strip w/front cover 500mm ea length						X	X	

	DMX controller's								
DMX-1001	DMX controller								
	LED STREET LIGHTS								
SLC-24030C-A	30W cool white LED Street Light 12vDC		X				X		
SLC-24030W-A	30W warm white LED Street Light 12vDC		X				X		
SLC-24050C-A	50W cool white LED Street Light 12vDC		X				X		
SLC-24050W-A	50W warm white LED Street Light 12vDC		X				X		
SLC-84100C-A	100W cool white LED Street Light 24vDC			X			X		
SLC-84100W-A	100W warm white LED Street Light 24vDC			X			X		
	LED E40 HIGH BAY LED LIGHTS								
HB-E40-CW-50	50W HIGH BAY E40 LED LIGHT COOL WHITE		X				X		
HB-E40-WW-50	50W HIGH BAY E40 LED LIGHT WARM WHITE		X				X		
	T5 FLUORESCENT & RF LIGHTS								
HLLS-9201P	cool white EDISON SCREW wireless RF Remote Control CFL 4 Bulb Pack						X		
HLLS-9202P	warm white EDISON SCREW wireless RF Remote Control CFL 4 Bulb Pack						X		
HLLS-7201P	cool white Bayonet wireless RF Remote Control CFL 4 Bulb Pack						X		
HLLS-7202P	warm white Bayonet wireless RF Remote Control CFL 4 Bulb Pack						X		
HLLS-7201	Bayonet Wireless RF Remote Control CFL Bulb (Individual light) CW						X		
HLLS-9201	EDISON SCREW Wireless RF Remote Control CFL Bulb (Individual light) WW						X		
HLLS-7202	Bayonet Wireless RF Remote Control CFL Bulb (Individual light) WW						X		
HLLS-9202	EDISON SCREW Wireless RF Remote Control CFL Bulb (Individual light) CW						X		
HLLS-8321	Wireless RF Remote Control								X
HT5PG-2281	T5 Fluorescent Tube- Cool White: 6500K						X		
HT5PG-2282	T5 Fluorescent Tube- Warm White:2700K						X		
	LED SAFETY LIGHTS								
OB-03YSY	Safety Vest flashing LED's yellow vest/silver reflector (AOV)								X
CB02	Safety LED Traffic Wand (red) (AOV)								X
TS206W	Sola Road Stud LED white Static On							X	
TS206R	Sola Road Stud LED red Static On							X	
TS206G	Sola Road Stud LED green Static On							X	
TS206B	Sola Road Stud LED blue Static On							X	
TS302-Y	Small Sola warning light yellow Flashing							X	
TS302-R	Small Solar warning light red Flashing							X	
TS400-R	Large Solar warning light red Flashing							X	
TS400-Y	Large Sola warning light yellow Flashing							X	
TS400-B	Large Sola warning light blue Flashing							X	
LAL-01	Ariel LED Flashing tip RED (AOV)		X						

	LED POWER SUPPLIES								
LC3816-02	Power supply for MR16-5W light with AU plug						X		
LD-VU5012-03	Power Supply 12VDC 10W						X		
LD1007-12	Power supply 10.5-30V input 12V DC output 700mA 8.4W					X			
LP-1025-12	IP65 rated power supply 25W - 12V DC						X		
CLG-60-12	IP65 rated power supply 60W -12V DC						X		
CLG-60-24	IP65 rated power supply 60W - 24V DC						X		
CLG-100-12	IP65 rated power supply 100W -12V DC						X		
CLG-100-24	IP65 rated power supply 100W -24V DC						X		
CLG-150-24	IP65 rated power supply 150W -24V DC (for 100W streetlight)						X		
	INDOOR SINGLE RED COLOUR LED MESSAGE SIGN								
ST-16x128-50-R	21 characters at 50mm height characters 16 characters at 121mm height characters Cabinet Size: (L) 1040mm x (H) 158mm x (D) 50mm						X		
ST-16x160-50-R	26 characters at 50mm height characters 20characters at 121mm height characters Cabinet Size: (L) 1280mm x (H) 158mm x (D) 50mm						X		
ST-16x192-50-R	32 characters at 50mm height characters 24 characters at 121mm height characters Cabinet Size: (L) 1530mm x (H) 158mm x (D) 50mm						X		
	INDOOR SINGLE TRI COLOUR (RED, GREEN & AMBER) LED MESSAGE SIGN								
ST-16x128-50-RG	21 characters at 50mm height characters 16 characters at 121mm height characters Cabinet Size: (L) 1040mm x (H) 158mm x (D) 50mm						X		
ST-16x144-50-RG	24 characters at 50mm height characters 18 characters at 121mm height characters Cabinet Size: (L) 1162mm x (H) 158mm x (D) 50mm						X		
ST-16x192-50-RG	32 characters at 50mm height characters 24 characters at 121mm height characters Cabinet Size: (L) 1530mm x (H) 158mm x (D) 50mm						X		
	INFORMATION CD PROVIDED WITH ALL SIGNS								
	technical phone support provided at \$120+per hr								